## TOWN OF DOVER, VERMONT 2022 PAVING BID & SPECIFICATIONS

The contractor shall do Base and Top/Overlay on the roads listed. All hot mix shall meet State of Vermont DOT latest specifications.

There will be no more than 10% recycled asphalt and no asphalt shingles in the mix

All shim and overlay will have tack.

1. The contractors shall pave the following roads:

| Length X Width | - Depth   |
|----------------|---|
| 1122' x 22'    | 3" Base 1" top  |
| e 1191' x 22'  | 1.5" top  |
| 1147' x 22'    | 1.5" top  |
| 1270' X 22'    | 3" Base 1" top  |
| 528' x 22'     | 1.5" top  |
| 1056' x 22'    | 1.5" top  |
| 2640' x 22'    | 1.5" top  |
| 3168' x 22'    | 1.5" top  |
| 3832' x 22'    | 3" Base 1" top  |
| 6336' x 24'    | Shim coat + 1.5" top  |
|                | e 1191' x 22'<br>1147' x 22'<br>1270' X 22'<br>528' x 22'<br>1056' x 22'<br>2640' x 22'<br>3168' x 22'<br>3832' x 22' |

- 2. The Road Commissioner will mark all roads before work begins.
- 3. The contractor will provide Rollers, sweepers, signs and traffic control for paving operations.
- 4. All shim coats will be at least 1" minimum
- 5. All driveways will have a 2-foot apron. All intersecting roads must make a smooth transition both off and on roads.
- 6. The contractor must sweep all shimming and overlay work. The materials used for shim and overlay will be 3/8 inch stone.
- 7. The contractor must use two rollers when paving
- 8. Equipment used by the contractor must be approved by the Road Commissioner and maintained in satisfactory working condition at all times

- 9. Bid prices may change depending on work being completed.
- 10. Bids must be sealed and in by April 29,2022 at the Dover Town Office, to be awarded May 3, 2022 at the regular meeting.
- 11. The Town Point of Contact is Commissioner Travis Briggs. Call (802) 430-3024 for more information or questions. Bidders are expected to meet with Mr. Briggs. Call to arrange meeting times.
- All work must be completed by September 23rd, 2022. The contractor will be assessed \$500.00 per day penalty for each calendar day after that until completed
- 13. Asphalt Escalator Clause: Due to the volatility of the liquid asphalt market, the winning bidder can apply VAOT formulas to hot mix asphalt items under this contract. The base price per ton will be adjusted according to the posted price on the VAOT website. Note: (base price could increase or decrease with this clause). The vendor must give notice to the town if said clause will affect the bid price per ton. At that point a written agreement with the new price per ton must be in place prior to exercising the escalation clause and the beginning of said project. A copy of the VAOT rates for April 2022 is attached.

## ASPHALT PRICE ADJUSTMENT 2022 MONTHLY AVERAGE POSTED PRICES FOR ASPHALT STATE OF VERMONT AGENCY OF TRANSPORTATION

MONTH \$/TON
January - 2022 \$580.00
February - 2022 \$605.00
March - 2022 \$624.00
April - 2022 \$655.00

Mail to: Town of Dover Attn: Paving Bid P.O. Box 428 West Dover, VT 05356

Or, hand-deliver to Dover Town Office, 102 Route 100, West Dover, VT 05356

## **IMPORTANT**

THE TOWN OF DOVER RESERVES THE RIGHT TO ACCEPT OR REJECT ALL BIDS IN THE BEST INTEREST OF THE TOWN. ONCE WE REVEIVE BIDS, CONTRACTORS ARE NOT ALLOW WITHDRAW THEIR PROPOSALS FOR A PERIOD OF 30-DAYS, UNLESS RELEASED BY THE TOWN.